


Room construction					
	roof shape BARF equipped with b	N-L 1800/2100 , rectangular room construction as building kit, 1800 x 2100 x 2450 mm, wall REL thickness 50 mm, door wall prepared for MODUL-ROOM-DOOR, ench seats in L-arrangement on the left-hand or right-hand long side and rear wall, DUL-BA-SHAPE or MODUL-BA-SIZE	thickness 50 mm,		
	LMODE9000	MODUL-ROOM-L 1800/2100 L SHAPE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SHAPE	set		
	LMODE9001	MODUL-ROOM-L 1800/2100 L SIZE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SIZE	set		
Illustration shows the version 'R')	LMODE9002	MODUL-ROOM-L 1800/2100 R SHAPE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SHAPE	set		
IIIUSTTATION SNOWS THE VETSION K)	LMODE9003	MODUL-ROOM-L 1800/2100 R SIZE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SIZE	set		
Floor					
	MODUL-ROOM-L-BO.P 1800/2100 , floor construction, consisting of multi-part floor element $1800 \times 2100 \times 30/50$ mm, multi-part substrate element $1800 \times 2100 \times 55$ mm and floor drain support DN 50 horizontal incl. odour trap				
	LMODE9100	MODUL-ROOM-L-BO.P 1800/2100 L, for MODUL-ROOM-L 1800/2100 L	set		
Illustration shows the version 'R')	LMODE9101	MODUL-ROOM-L-BO.P 1800/2100 R, for MODUL-ROOM-L 1800/2100 R	set		






Room construction					
	roof shape BARF equipped with b	M-L 1800/2400 , rectangular room construction as building kit, 1800 x 2400 x 2450 mm, wall REL thickness 50 mm, door wall prepared for MODUL-ROOM-DOOR, ench seats in L-arrangement on the left-hand or right-hand long side and rear wall, DUL-BA-SHAPE or MODUL-BA-SIZE	thickness 50 mm,		
	LMODE9004	MODUL-ROOM-L 1800/2400 L SHAPE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SHAPE	set		
	LMODE9005	MODUL-ROOM-L 1800/2400 L SIZE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SIZE	set		
	LMODE9006	MODUL-ROOM-L 1800/2400 R SHAPE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SHAPE	set		
Illustration shows the version 'R')	LMODE9007	MODUL-ROOM-L 1800/2400 R SIZE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SIZE	set		
Floor					
	$ \begin{tabular}{ll} \textbf{MODUL-ROOM-L-BO.P 1800/2400,} & \textbf{floor construction, consisting of multi-part floor element } 1800 \times 2400 \times 30/50 \text{ mm,} \\ \textbf{multi-part substrate element } 1800 \times 2400 \times 55 \text{ mm and floor drain support DN 50 horizontal incl. odour trap} \\ \end{tabular} $				
	LMODE9102	MODUL-ROOM-L-BO.P 1800/2400 L, for MODUL-ROOM-L 1800/2400 L	set		
Illustration shows the version 'R')	LMODE9103	MODUL-ROOM-L-BO.P 1800/2400 R, for MODUL-ROOM-L 1800/2400 R	set		




 $\label{thm:composition} \textbf{Visit}~\textbf{www.luxelements.com}~\text{for further information on MODUL}.$



Room construction				
	roof shape BARF equipped with b	M-L 1800/2700 , rectangular room construction as building kit, 1800 x 2700 x 2450 mm, wall REL thickness 50 mm, door wall prepared for MODUL-ROOM-DOOR, ench seats in L-arrangement on the left-hand or right-hand long side and rear wall, DUL-BA-SHAPE or MODUL-BA-SIZE	thickness 50 mm,	
	LMODE9008	MODUL-ROOM-L 1800/2700 L SHAPE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SHAPE	set	
	LMODE9009	MODUL-ROOM-L 1800/2700 L SIZE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SIZE	set	
	LMODE9010	MODUL-ROOM-L 1800/2700 R SHAPE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SHAPE	set	
Illustration shows the version 'R')	LMODE9011	MODUL-ROOM-L 1800/2700 R SIZE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SIZE	set	
Floor				
		N-L-BO.P 1800/2700 , floor construction, consisting of multi-part floor element 1800 x 2700 rate element 1800 x 2700 x 55 mm and floor drain support DN 50 horizontal incl. odour trap	x 30/50 mm,	
	LMODE9104	MODUL-ROOM-L-BO.P 1800/2700 L, for MODUL-ROOM-L 1800/2700 L	set	
'Illustration shows the version 'R')	LMODE9105	MODUL-ROOM-L-BO.P 1800/2700 R, for MODUL-ROOM-L 1800/2700 R	set	






Room construction					
	roof shape BARF equipped with b	M-L 2100/2100 , square room construction as building kit, 2100 x 2100 x 2450 mm, wall thicl REL thickness 50 mm, door wall prepared for MODUL-ROOM-DOOR, ench seats in L-arrangement on the left-hand or right-hand long side and rear wall, DUL-BA-SHAPE or MODUL-BA-SIZE	cness 50 mm,		
	LMODE9012	MODUL-ROOM-L 2100/2100 L SHAPE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SHAPE	set		
	LMODE9013	MODUL-ROOM-L 2100/2100 L SIZE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SIZE	set		
	LMODE9014	MODUL-ROOM-L 2100/2100 R SHAPE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SHAPE	set		
(Illustration shows the version 'R')	LMODE9015	MODUL-ROOM-L 2100/2100 R SIZE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SIZE	set		
Floor					
	MODUL-ROOM-L-BO.P 2100/2100, floor construction, consisting of multi-part floor element 2100 x 2100 x 30/50 mm, multi-part substrate element 2100 x 2100 x 55 mm and floor drain support DN 50 horizontal incl. odour trap				
	LMODE9106	MODUL-ROOM-L-BO.P 2100/2100 L, for MODUL-ROOM-L 2100/2100 L	set		
(Illustration shows the version 'R')	LMODE9107	MODUL-ROOM-L-BO.P 2100/2100 R, for MODUL-ROOM-L 2100/2100 R	set		




 $\label{thm:composition} \textbf{Visit www.luxelements.com} \ \ \text{for further information on MODUL}.$



Room construction						
	roof shape BARF equipped with b	N-L 2100/2400 , rectangular room construction as building kit, 2100 x 2400 x 2450 mm, wall REL thickness 50 mm, door wall prepared for MODUL-ROOM-DOOR, ench seats in L-arrangement on the left-hand or right-hand long side and rear wall, DUL-BA-SHAPE or MODUL-BA-SIZE	thickness 50 mm,			
	LMODE9016	MODUL-ROOM-L 2100/2400 L SHAPE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SHAPE	set			
	LMODE9017	MODUL-ROOM-L 2100/2400 L SIZE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SIZE	set			
	LMODE9018	MODUL-ROOM-L 2100/2400 R SHAPE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SHAPE	set			
Illustration shows the version 'R')	LMODE9019	MODUL-ROOM-L 2100/2400 R SIZE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SIZE	set			
Floor						
		MODUL-ROOM-L-BO.P 2100/2400 , floor construction, consisting of multi-part floor element $2100 \times 2400 \times 30/50$ mm, multi-part substrate element $2100 \times 2400 \times 55$ mm and floor drain support DN 50 horizontal incl. odour trap				
	LMODE9108	MODUL-ROOM-L-BO.P 2100/2400 L, for MODUL-ROOM-L 2100/2400 L	set			
'Illustration shows the version 'R')	LMODE9109	MODUL-ROOM-L-BO.P 2100/2400 R, for MODUL-ROOM-L 2100/2400 R	set			




 $\label{thm:composition} \textbf{Visit} \ \textbf{www.luxelements.com} \ \text{for further information on MODUL}.$



roof shape BARF equipped with b	REL thickness 50 mm, door wall prepared for MODUL-ROOM-DOOR, ench seats in L-arrangement on the left-hand or right-hand long side and rear wall,	thickness 50 mm,		
LMODE9020	MODUL-ROOM-L 2100/2700 L SHAPE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SHAPE	set		
LMODE9021	MODUL-ROOM-L 2100/2700 L SIZE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SIZE	set		
LMODE9022	MODUL-ROOM-L 2100/2700 R SHAPE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SHAPE	set		
LMODE9023	MODUL-ROOM-L 2100/2700 R SIZE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SIZE	set		
MODUL-ROOM-L-BO.P 2100/2700, floor construction, consisting of multi-part floor element 2100 x 2700 x 30/50 mm, multi-part substrate element 2100 x 2700 x 55 mm and floor drain support DN 50 horizontal incl. odour trap				
LMODE9110	MODUL-ROOM-L-BO.P 2100/2700 L, for MODUL-ROOM-L 2100/2700 L	set		
LMODE9111	MODUL-ROOM-L-BO.P 2100/2700 R, for MODUL-ROOM-L 2100/2700 R	set		
	roof shape BARI equipped with b bench form MO LMODE9020 LMODE9021 LMODE9022 LMODE9023 MODUL-ROOF multi-part substi	roof shape BARREL thickness 50 mm, door wall prepared for MODUL-ROOM-DOOR, equipped with bench seats in L-arrangement on the left-hand or right-hand long side and rear wall, bench form MODUL-BA-SHAPE or MODUL-BA-SIZE LMODE9020 MODUL-ROOM-L 2100/2700 L SHAPE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SHAPE LMODE9021 MODUL-ROOM-L 2100/2700 L SIZE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SIZE LMODE9022 MODUL-ROOM-L 2100/2700 R SHAPE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SHAPE LMODE9023 MODUL-ROOM-L 2100/2700 R SIZE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SIZE MODUL-ROOM-L-BO.P 2100/2700, floor construction, consisting of multi-part floor element 2100 x 2700 multi-part substrate element 2100 x 2700 x 55 mm and floor drain support DN 50 horizontal incl. odour trap LMODE9110 MODUL-ROOM-L-BO.P 2100/2700 L, for MODUL-ROOM-L-BO.P 2100/2700 L LMODE9111 MODUL-ROOM-L-BO.P 2100/2700 R,	equipped with bench seats in L-arrangement on the left-hand or right-hand long side and rear wall, bench form MODUL-BA-SHAPE or MODUL-BA-SIZE LMODE9020 MODUL-ROOM-L 2100/2700 L SHAPE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SHAPE LMODE9021 MODUL-ROOM-L 2100/2700 L SIZE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SIZE LMODE9022 MODUL-ROOM-L 2100/2700 R SHAPE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SHAPE LMODE9023 MODUL-ROOM-L 2100/2700 R SIZE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SIZE MODUL-ROOM-L-BO.P 2100/2700, floor construction, consisting of multi-part floor element 2100 x 2700 x 30/50 mm, multi-part substrate element 2100 x 2700 x 55 mm and floor drain support DN 50 horizontal incl. odour trap LMODE9110 MODUL-ROOM-L 2100/2700 L, for MODUL-ROOM-L 2100/2700 L LMODE9111 MODUL-ROOM-L 2100/2700 R, set	





Room construction					
	roof shape BARF equipped with b	M-L 2100/3000 , rectangular room construction as building kit, 2100 x 3000 x 2450 mm, wall REL thickness 50 mm, door wall prepared for MODUL-ROOM-DOOR, ench seats in L-arrangement on the left-hand or right-hand long side and rear wall, DUL-BA-SHAPE or MODUL-BA-SIZE	thickness 50 mm,		
	LMODE9024	MODUL-ROOM-L 2100/3000 L SHAPE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SHAPE	set		
	LMODE9025	MODUL-ROOM-L 2100/3000 L SIZE, equipped with bench seats in L-arrangement on left-hand long side and rear wall, bench form MODUL-BA-SIZE	set		
	LMODE9026	MODUL-ROOM-L 2100/3000 R SHAPE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SHAPE	set		
Illustration shows the version 'R')	LMODE9027	MODUL-ROOM-L 2100/3000 R SIZE, equipped with bench seats in L-arrangement on right-hand long side and rear wall, bench form MODUL-BA-SIZE	set		
Floor					
	MODUL-ROOM-L-BO.P 2100/3000 , floor construction, consisting of multi-part floor element $2100 \times 3000 \times 30/50$ mm, multi-part substrate element $2100 \times 3000 \times 55$ mm and floor drain support DN 50 horizontal incl. odour trap				
	LMODE9112	MODUL-ROOM-L-BO.P 2100/3000 L, for MODUL-ROOM-L 2100/2300 L	set		
Illustration shows the version 'R')	LMODE9113	MODUL-ROOM-L-BO.P 2100/3000 R, for MODUL-ROOM-L 2100/3000 R	set		




 $\label{thm:composition} \textbf{Visit} \ \textbf{www.luxelements.com} \ \text{for further information on MODUL}.$

ARTICLE- NUMBER	ARTICLE-NAME / ARTICLE-DESCRIPTION		UNIT	PRICE/ Unit €
MODUL-ROOM-U 2400/2 Bench seats on both long sides and		MODUL-ROOM-P 2400/2400 Bench seats on both long sides	Bench form MODUL-BA- SHAPE Or SIZE	

roof shape BARF equipped with b	REL thickness 50 mm, door wall prepared for MODUL-ROOM-DOOR, ench seats in U-arrangement or parallel arrangement ,	s 50 mm,
LMODE9028	MODUL-ROOM-U 2400/2400 SHAPE, equipped with bench seats in U-arrangement on both long sides and rear wall, bench form MODUL-BA-SHAPE	set
LMODE9029	MODUL-ROOM-U 2400/2400 SIZE, equipped with bench seats in U-arrangement on both long sides and rear wall, bench form MODUL-BA-SIZE	set
LMODE9030	MODUL-ROOM-P 2400/2400 SHAPE, equipped with bench seats in parallel arrangement on both long sides, bench form MODUL-BA-SHAPE	set
LMODE9031	MODUL-ROOM-P 2400/2400 SIZE, equipped with bench seats in parallel arrangement on both long sides, bench form MODUL-BA-SIZE	set
		c 30/50 mm,
LMODE9114	MODUL-ROOM-U-BO.P 2400/2400, for MODUL-ROOM-U 2400/2400	set
LMODE9115	MODUL-ROOM-P-BO.P 2400/2400, for MODUL-ROOM-P 2400/2400	set
	roof shape BARI equipped with b bench form MO LMODE9028 LMODE9029 LMODE9030 LMODE9031 MODUL-ROOI multi-part substi	on both long sides and rear wall, bench form MODUL-BA-SHAPE LMODE9029 MODUL-ROOM-U 2400/2400 SIZE, equipped with bench seats in U-arrangement on both long sides and rear wall, bench form MODUL-BA-SIZE LMODE9030 MODUL-ROOM-P 2400/2400 SHAPE, equipped with bench seats in parallel arrangement on both long sides, bench form MODUL-BA-SHAPE LMODE9031 MODUL-ROOM-P 2400/2400 SIZE, equipped with bench seats in parallel arrangement on both long sides, bench form MODUL-BA-SIZE MODUL-ROOMBO.P 2400/2400, floor construction, consisting of multi-part floor element 2400 x 2400 x multi-part substrate element 2400 x 2400 x 55 mm and floor drain support DN 50 horizontal incl. odour trap LMODE9114 MODUL-ROOM-U-BO.P 2400/2400, for MODUL-ROOM-U-BO.P 2400/2400,





Room construction				
	roof shape BARF equipped with b	N 2400/2700 , rectangular room construction as building kit, 2400 x 2700 x 2450 mm, wall thic REL thickness 50 mm, door wall prepared for MODUL-ROOM-DOOR, ench seats in U-arrangement or parallel arrangement , DUL-BA-SHAPE or MODUL-BA-SIZE	kness 50 mm,	
	LMODE9032	MODUL-ROOM-U 2400/2700 SHAPE, equipped with bench seats in U-arrangement on both long sides and rear wall, bench form MODUL-BA-SHAPE	set	
	LMODE9033	MODUL-ROOM-U 2400/2700 SIZE, equipped with bench seats in U-arrangement on both long sides and rear wall, bench form MODUL-BA-SIZE	set	
'Illustration shows the version 'U'	LMODE9034	MODUL-ROOM-P 2400/2700 SHAPE, equipped with bench seats in parallel arrangement on both long sides, bench form MODUL-BA-SHAPE	set	
	LMODE9035	MODUL-ROOM-P 2400/2700 SIZE, equipped with bench seats in parallel arrangement on both long sides, bench form MODUL-BA-SIZE	set	
Floor				
		MBO.P 2400/2700 , floor construction, consisting of multi-part floor element 2400 x 2700 x rate element 2400 x 2700 x 55 mm and floor drain support DN 50 horizontal incl. odour trap	c 30/50 mm,	
	LMODE9116	MODUL-ROOM-U-BO.P 2400/2700, for MODUL-ROOM-U 2400/2700	set	
'Illustration shows the version 'U')	LMODE9117	MODUL-ROOM-P-BO.P 2400/2700, for MODUL-ROOM-P 2400/2700	set	



ARTICLE-NUMBER ARTICLE-NAME / ARTICLE-DESCRIPTION PRICE/ Unit € UNIT Bench form MODUL-BA-... Bench form MODUL-BA-... MODUL-ROOM-U 2400/3000 MODUL-ROOM-P 2400/3000 SIZE Bench seats on both long sides and rear wall Bench seats on both long sides

Room construction			
	roof shape BARF equipped with b	N 2400/3000 , rectangular room construction as building kit, 2400 x 3000 x 2450 mm, wall thic REL thickness 50 mm, door wall prepared for MODUL-ROOM-DOOR, ench seats in U-arrangement or parallel arrangement , DUL-BA-SHAPE or MODUL-BA-SIZE	kness 50 mm,
	LMODE9036	MODUL-ROOM-U 2400/3000 SHAPE, equipped with bench seats in U-arrangement on both long sides and rear wall, bench form MODUL-BA-SHAPE	set
	LMODE9037	MODUL-ROOM-U 2400/3000 SIZE, equipped with bench seats in U-arrangement on both long sides and rear wall, bench form MODUL-BA-SIZE	set
Illustration shows the version 'U')	LMODE9038	MODUL-ROOM-P 2400/3000 SHAPE, equipped with bench seats in parallel arrangement on both long sides, bench form MODUL-BA-SHAPE	set
	LMODE9039	MODUL-ROOM-P 2400/3000 SIZE, equipped with bench seats in parallel arrangement on both long sides, bench form MODUL-BA-SIZE	set
Floor			
		MBO.P 2400/3000 , floor construction, consisting of multi-part floor element 2400 x 3000 x rate element 2400 x 3000 x 55 mm and floor drain support DN 50 horizontal incl. odour trap	x 30/50 mm,
	LMODE9118	MODUL-ROOM-U-BO.P 2400/3000, for MODUL-ROOM-U 2400/3000	set
Illustration shows the version 'U')	LMODE9119	MODUL-ROOM-P-BO.P 2400/3000, for MODUL-ROOM-P 2400/3000	set

Optional accessories: Panel / Aluminium door frame and glass door / Light / Heating / Steam / Floor drain supports / Mounting accessories

